	DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD		
--	--	--	--

EX

NN NN NN NN NN NN NNN NNNN NNN NN NN

NN NN

PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	RRRRRRRR RRRRRRRR RR RR RR RR RR RR RRRRRR	NN	MM MM MMM MMM MMM MMM MM MM MM MM MM MM MM MM	RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
		\$			

EDT VO4

SRELLMO

EDT\$PRNUMRAN - create a range node

D 2 16-Sep-1984 01:20:06 14-Sep-1984 12:24:10 VAX-11 Bliss-32 V4.0-742 Page 1
DISK\$VMSMASTER:[EDT.SRC]PRNUMRAN.BLI;1 (1)

**F

%TITLE 'EDT\$PRNUMRAN - create a range node' MODULE EDT\$PRNUMRAN (! Create a range node IDENT = 'V04-000' ! File: PRNUMRAN.BLI Edit: JBS1003

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

EDT -- The DEC Standard Editor

Create a range node with one numeric value.

ENVIRONMENT: Runs at any access mode - AST reentrant

AUTHOR: Bob Kushlis, CREATION DATE: December 12, 1978

1-001 - Original. DJS 25-Feb-1981. This module was created by extracting routine NUM_RANGE from module PARSER.
1-002 - Regularize headers. JBS 12-Mar-1981

1-003 - Improve the appearance of the listing. JBS 17-Jun-1983

EDT\$PRNUMRAN = create a range node V04-000 Declarations		E 2 16-Sep-1984 01:20:06 14-Sep-1984 12:24:10	VAX-11 Bliss-32 V4.0-742 Page 2 DISK\$VMSMASTER:[EDT.SRC]PRNUMRAN.BLI;1 (2)		
51	0050 1 %SBTTL 'Declarations'				
53 54	0051 1 TABLE OF CONTENTS:				
56	0054 1 0055 1 REQUIRE 'EDTSRC:TRAROUNAM'; 0494 1				
5555555555561234566667777777778901234888888888888888888888888888888888888	0495 1 FORWARD ROUTINE 0496 1 EDT\$\$PA_CRERNGNOD; 0497 1				
61 62 63	0498 1 O499 1 INCLUDE FILES:				
65	0501 1 0502 1 REQUIRE 'EDTSRC:EDTREQ';				
66 67 68	0502 1 REQUIRE 'EDTSRC:EDTREQ'; 0637 1 0638 1 REQUIRE 'EDTSRC:PARLITS'; 0922 1				
69 70 71	0924 1 MACROS:				
72 73	0926 1 ! NONE				
74 75	0927 1 CO 28 1 EQUATED SYMBOLS:				
76	0930 1 ! NONE 0931 1 !				
78	0932 1 ! OWN STORAGE:				
80	0933 1 NONE				
82	0935 1 EXTERNAL REFERENCES:				
84	0937 1 ! 0938 1 ! In the routine				

```
2
EDT$PRNUMRAN
V04-000
                                                                                  16-Sep-1984 01:20:06
14-Sep-1984 12:24:10
                                                                                                                  VAX-11 Bliss-32 V4.0-742 Page
DISK$VMSMASTER:[EDT.SRC]PRNUMRAN.BLI;1
                    EDT$PRNUMRAN - create a range node
                    EDT$$PA_CRERNGNOD - create a range node
                    0939
0940
0941
0942
                               *SBTTL 'EDT$$PA_CRERNGNOD - create a range node'
   GLOBAL ROUTINE EDT$$PA_CRERNGNOD (
                                                                                               Create a range node
                                    RANTYP
                                                                                              ! Type of range
                                    ) =
                                 FUNCTIONAL DESCRIPTION:
                                         Create a range node of the type which has one numeric value.
                                 FORMAL PARAMETERS:
                                   RANTYP
                                                              Type of range
                                 IMPLICIT INPUTS:
                                         EDT$$Z_PA_CURRNG
                                 IMPLICIT OUTPUTS:
                                         EDT$$Z_PA_CURRNG
   108
                                 ROUTINE VALUE:
                                         0 = unable to create the range node
                                         1 = range node created
                                 SIDE EFFECTS:
                                         NONE
   118
119
121
123
123
124
127
128
129
131
133
133
133
133
133
133
133
                                    BEGIN
                                    EXTERNAL ROUTINE
                                         EDT$$PA_NEW_NOD;
                                                                                            ! Create a semantic node
                                         EDT$$Z_PA_CURRNG : REF NODE_BLOCK;
                                                                                           ! the current range node
                                   LOCAL NEWRANGE : REF NODE_BLOCK;
                                    IF ((NEWRANGE = EDT$$PA_NEW_NOD ()) EQL 0) THEN RETURN (0);
                                   EDTSSCPY_MEM (NODE_SIZE, .EDTSSZ_PA_CURRNG, .NEWRANGE);
EDTSSZ_PA_CURRNG [SUB_RANGE] = .REWRANGE;
EDTSSZ_PA_CURRNG [RAN_TYPE] = .RANTYP;
EDTSSZ_PA_CURRNG [RAN_VAL] = 1;
RETURN (1);
   138
                                    END:
                                                                                             ! of routine EDT$$PA_CRERNGNOD
                                                                                                          EDT$PRNUMRAN EDT$PRNUMRAN - create a range node \v04-000\
                                                                                               .TITLE
```

EDT VO

EDT VO4

6 2 16-Sep-1984 01:20:06 14-Sep-1984 12:24:10 EDTSPRNUMRAN V04-000 EDT\$PRNUMRAN - create a range node EDT\$\$PA_CRERNGNOD - create a range node VAX-11 Bliss-32 V4.0-742 Page DISK\$VMSMASTER:[EDT.SRCJPRNUMRAN.BLI;1 .EXTRN EDT\$\$PA_NEW_NOD EDT\$\$Z_PA_CORRNG 00FC 00000 FB 00002 D0 00009 13 0000C D0 0000E 28 00015 D0 00019 90 0001D D0 00022 10 00026 14 00029 4 0002A 1\$: .PSECT _EDT\$CODE,NOWRT, SHR, PIC,2 EDT\$\$PA_CRERNGNOD, Save R2,R3,R4,R5,R6,R7 #0, EDT\$\$PA_NEW_NOD R0, NEWRANGE .ENTRY 0941 0984 00 57 00000000G 00 100 207 AC1 01 MOVL BEQL MOVE MOVE MOVE MOVE MOVE RET CLRL EDT\$\$Z PA_CURRNG, R6 #32, (R6), (NEWRANGE) NEWRANGE, 8(R6) RANTYP, 1(R6) #1, 4(R6) #1, R0 0000000G 56 66 86 86 86 50 0986 67 08 01 04 0987 0988 0989 0990 RO 0991 RET

; Routine Size: 45 bytes, Routine Base: _EDT\$CODE + 0000

139 0992 1 140 0993 1 !<BLF/PAGE>

.

PSECT SUMMARY

Name Bytes Attributes

45 NOVEC, NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC, ALIGN(2)

Library Statistics

File	Total	- Symbols Loaded	Percent	Pages Mapped	Processing Time
\$255\$DUA28:[EDT.SRC]EDT.L32;1 _\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	377	49	12 50	40	00:00.2

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD, INITIAL, OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:PRNUMRAN/OBJ=OBJ\$:PRNUMRAN MSRC\$:PRNUMRAN.BLI/UPDATE=(ENH\$:PRNUMPAN)

Size: 45 code + 0 data bytes Run Time: 00:13.0 Elapsed Time: 00:16.3

Elapsed Time: 00:15.0 : Elapsed Time: 00:16.3 : Lines/CPU Min: 4611 : Lexemes/CPU-Min: 14541 : Memory Used: 96 pages : Compilation Complete

_EDT\$CODE

0138 AH-BT13A-SE VAX/VMS V4.0 DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

